


LUXURY  
MEETS  
DURABILITY

DECOR  
COLLECTION



**ANTIEK**<sup>1</sup>  
DISCOVER LUXURY

[www.antiek.in](http://www.antiek.in)

C O L L E C T I O N 2 0 2 5 - 2 6

# Luxury Beneath

Because Every Step  
Deserves Grandeur

[www.antiek.in](http://www.antiek.in)

Certified Quality 



FAMILY OWNED  
INDIAN COMPANY

## Love For Motherland

Rooted in heritage, crafted with  
excellence! Proudly manufacturing  
luxury tiles

**ANTIEK**<sup>7</sup>  
DISCOVER LUXURY





# Refined Taste **Expansive Grace**

A statement of scale  
and style premium  
600x1200mm tiles  
for visionary interiors.

[www.antiek.in](http://www.antiek.in)



# Endless Elegance Seamless Style

Experience the beauty of continuity with our endless flooring tiles seamless design, premium durability, and timeless appeal that transforms every space into a work of art.

INFINIX

## Crafted for Impact



ANTIEK<sup>7</sup>  
DISCOVER LUXURY



# FEATURES AND APPLICATION AREAS

Designed for an endless luxurious experience, the tiles of the collection are superiorly functional and most apt for modern life and households with numerous efficient features and wide application possibilities

## APPLICATION AREA'S



Reception



Kitchen



Living Room



Sallon & Spa



Offices



Restaurants & Hotel



Bathroom



Showroom

## TILE FEATURES



Resistance to Deep Abrasion



Easy to Install



Resists Harsh Weather Conditions



Resists Water



Resistance to Acids and Bases



Eco-Friendly



Stain Resistance



Hygienic



Resistance to Thermal Shocks



Lightweight and Easy to Handle



Easy Cleaning



Resists Fire

# DECOR Surface

 Tap to explore  
Our Collection

# Icon Indication



Most  
Trusted



New  
Design



Infinix  
Series



Tiles  
Random



CARVO FORESTO  
MODERNO GRISS



CARVO MODERNO  
BIANCO



CARVO MODERNO  
CEMENTO



CARVO MODERNO  
CREMA



CARVO MODERNO  
PISTA



INFINITY GREY



INFINITY ASH



INFINITY CREMA



INFINITY BEIGE




CARVO FLUTED  
INFINITY




CARVO INFERNO  
SONNET GREY



CARVO SONNET  
BIANCHI



CARVO SONNET  
GRISS



CARVO DECORA  
INFINITY



INFINITY DOVE



INFINITY DOVE



INFINITY GREY



INFINITY ASH



INFINITY CREMA



INFINITY BEIGE




CARVO CAPRICON  
BEAUTY



CARVO CAPRI ROYAL



CARVO CAPRICON  
SLATE



CARVO CAPRI  
CLASSICO



CARVO RUSTIC  
ELTON GRISS



ELTON BIANCO



ELTON NERO



CARVO RUSTIC  
ELTON BRUCE



ELTON SAND



ELTON CREMA





CARVO FORESTO MODERNO GRISS



CARVO FORESTO  
MODERNO GRISS



MODERNO BIANCO



MODERNO CEMENTO



MODERNO CREMA



MODERNO PISTA

**Back To  
Index »**



**CARVO FORESTO  
MODERNO GRISS**

DECOR  
FINISH | 600x  
1200mm

[www.antiek.in](http://www.antiek.in)








CARVO INFERNO SONNET GREY




CARVO INFERNO  
SONNET GREY



SONNET BIANCHI



SONNET GRISS



Back To  
Index »



CARVO INFERNO  
SONNET GREY

DECOR  
FINISH | 600x  
1200mm

[www.antiek.in](http://www.antiek.in)








CARVO DECORA INFINITY



CARVO DECORA INFINITY

INFINITY DOVE

INFINITY CREMA



INFINITY GREY

INFINITY ASH

Back To  
Index »



**CARVO DECORA  
INFINITY**

DECOR  
FINISH | 600x  
1200mm

[www.antiek.in](http://www.antiek.in)







CARVO DECORA INFINITY



CARVO DECORA INFINITY

INFINITY BEIGE



Back To  
Index »



**CARVO DECORA  
INFINITY**

DECOR  
FINISH | 600x  
1200mm

[www.antiek.in](http://www.antiek.in)








CARVO FLUTED INFINITY



CARVO FLUTED INFINITY



INFINITY DOVE



INFINITY CREMA



INFINITY GREY

INFINITY ASH

Back To  
Index »



CARVO FLUTED  
INFINITY

DECOR  
FINISH | 600x  
1200mm







CARVO DECORA INFINITY



CARVO FLUTED INFINITY

INFINITY BEIGE



Back To  
Index »



CARVO FLUTED  
INFINITY

DECOR  
FINISH | 600x  
1200mm

[www.antiek.in](http://www.antiek.in)







CARVO CAPRICON BEAUTY



CARVO CAPRICON  
BEAUTY

CARVO CAPRI ROYAL



Back To  
Index »



**CARVO CAPRICON  
BEAUTY**

DECOR  
FINISH | 600x  
1200mm

[www.antiek.in](http://www.antiek.in)







CARVO CAPRICON SLATE



CARVO CAPRICON  
SLATE

CARVO CAPRI CLASSICO



Back To  
Index »



**CARVO CAPRICON  
SLATE**

DECOR  
FINISH | 600x  
1200mm

[www.antiek.in](http://www.antiek.in)








CARVO RUSTIC ELTON GRISS




CARVO RUSTIC  
ELTON GRISS



ELTONE BIANCO



ELTON NERO



Back To  
Index »



CARVO RUSTIC  
ELTON GRISS

DECOR  
FINISH | 600x  
1200mm

[www.antiek.in](http://www.antiek.in)








CARVO RUSTIC ELTON BRUCE




CARVO RUSTIC  
ELTON BRUCE



ELTON SAND



ELTON CREMA



Back To  
Index »



CARVO RUSTIC  
ELTON BRUCE

DECOR  
FINISH | 600x  
1200mm

[www.antiek.in](http://www.antiek.in)









TECHNICAL SPECIFICATION

PACKING DETAILS

| Sr. No | Product         | Nominal Size | Thickness | Tiles per Box | Coverage Area |
|--------|-----------------|--------------|-----------|---------------|---------------|
| 1      | Vitrified Tiles | 600x1200mm   | 9mm       | 2             | 1.44 Sq. Mtr. |

| Characteristic | Standard as per ISO-13006/EN 14411 Group BIa | Mean Value of Polished GVT | Mean Value of GVT | Test Method |
|----------------|----------------------------------------------|----------------------------|-------------------|-------------|
|----------------|----------------------------------------------|----------------------------|-------------------|-------------|

| Regulatory Properties       |            |           |           |              |
|-----------------------------|------------|-----------|-----------|--------------|
| Deviation in length & width | ±0.5 %     | ±0.1 %    | ±0.1 %    | ISO-10545-2  |
| Deviation in thickness      | ±5.0 %     | ±4.0 %    | ±4.0 %    | ISO-10545-2  |
| Straightness in side        | ±0.5 %     | ±0.1 %    | ±0.1 %    | ISO-10545-2  |
| Rectangularity              | ±0.5 %     | ±0.1 %    | ±0.1 %    | ISO-10545-2  |
| Surface flatness            | ±0.5 %     | ±0.2 %    | ±0.2 %    | ISO-10545-2  |
| Color difference            | Unaltered  | No change | No change | ISO-10545-16 |
| Glossiness                  | As per mfg | Min 90%   | Min 4%    | GLOSSOMETER  |

| Structural Properties |            |            |            |             |
|-----------------------|------------|------------|------------|-------------|
| Water absorption      | < 0.50 %   | < 0.20 %   | < 0.20 %   | ISO-10545-3 |
| Apparent density      | > 2.0 g/cc | >2.10 g/cc | >2.10 g/cc | DIN 51082   |

| Massive Mechanical Properties |               |               |               |             |
|-------------------------------|---------------|---------------|---------------|-------------|
| Modulus of rupture            | Min. 35 N/mm² | Min. 40 N/mm² | Min. 40 N/mm² | ISO-10545-4 |
| Breaking strength             | Min. 1300 N   | Min. 2000 N   | Min. 2000 N   | ISO-10545-4 |
| Impact resistance             | As per mfg.   | Min. 0.55     | Min. 0.55     | ISO-10545-5 |


| Surface Mechanical Properties |             |              |              |             |
|-------------------------------|-------------|--------------|--------------|-------------|
| Surface abrasion resistance   | As per mfg. | Min. Class-3 | Min. Class-4 | ISO-10545-7 |
| MOH's hardness                | As per mfg. | Min. 4       | Min. 5       | EN 101      |

| Thermo Hygrometric Properties |                             |                           |                             |              |
|-------------------------------|-----------------------------|---------------------------|-----------------------------|--------------|
| Frost resistance              | No damage                   | No damage                 | No damage                   | ISO-10545-12 |
| Thermal shock resistance      | No damage                   | No damage                 | No damage                   | ISO-10545-9  |
| Moisture expansion            | Nil                         | Nil                       | Nil                         | ISO-10545-10 |
| Thermal expansion (COE)       | Max. 9.0 x 10 <sup>-6</sup> | Max. 6.5x10 <sup>-6</sup> | Max. 6.5 x 10 <sup>-6</sup> | ISO-10545-8  |
| Crazing resistance            | As per mfg.                 | Min. 10 Cycle             | Min. 10 Cycle               | ISO-10545-11 |

| Chemical Properties |           |           |           |              |
|---------------------|-----------|-----------|-----------|--------------|
| Chemical resistance | No damage | No damage | No damage | ISO-10545-13 |
| Stain resistance    | Resistant | Resistant | Resistant | ISO-10545-14 |

| Safety Properties                        |             |                        |                        |              |
|------------------------------------------|-------------|------------------------|------------------------|--------------|
| Slip resistance                          | As per mfg. | >0.40                  | >0.40                  | ISO-10545-17 |
| Fire resistance                          | As per mfg. | Fire proof             | Fire proof             | N. A.        |
| Lead & Cadmium given off by glazed tiles | As per mfg. | Does not yield Pb & Cd | Does not yield Pb & Cd | ISO-10545-15 |





**ANTIEK**<sup>7</sup>  
DISCOVER LUXURY



## **ANTIEK VITRIFIED LLP**

Survey No 847/1 and 847/1/1 At Ghuntu,  
Lakhdirpur Road 8-A National Highway, MORBI.

[info@antiek.in](mailto:info@antiek.in) | [export@antiek.in](mailto:export@antiek.in)